

Index

Bold type is used for contributors to this volume. The suffix e indicates editorial comment; c, a conference report; r, a book review. Abbreviation: fr, fibre-reinforced.

- Aavik, J.**, Chandra and Berntsson, 'Influence of polymer microparticles on freeze-thaw resistance of structural lightweight aggregate concrete', 111-15
- acoustic emission, 173-9
- acrylic copolymer latex cement composite, 57-60, 61-2, 64
- Adepegba, D.** and Balogun, 'Effect of varying sand content in laterized concrete', 235-40
- age dependence
- acoustic emission, 175-9
- early properties of concrete, 185c
- presustained loading and strength, 251-2
- Ang, T. H.**, Jones and Swamy, 'Under- and over-reinforced concrete beams with glued steel plates', 19-32
- anisotropy in asbestos cement, 181-4
- asbestos fr cement
- fibre orientation and mechanical anisotropy, 181-4
- slow crack growth and instability, 33-7
- aspect ratio, see fibre aspect ratio
- Aziz, M. A.** and Mansur, 'A study of jute fibre reinforced cement composites', 75-82
- Balogun, L. A.** and Adepegba, 'Effect of varying sand content in laterized concrete', 235-40
- Barr, B. I. G.** and Liu, 'Fracture of GRC materials', 163-71
- Barr, B. I. G.**, Liu and Dowers, 'A toughness index to measure the energy absorption of fibre reinforced concrete', 221-7
- beams
- flexural strength, dimensions and concrete filling sequence, 117-22
- fracture stability, 52-5
- polystyrene concrete, 199-208
- pure torsion, 39-45
- reinforced concrete, 52-3, 55, 145-52
- sandwich, 153, 161, 199-208

- shear failure, 145-52
- steel fr concrete, 39-45, 117-22, 145-52
- stiffness and ultimate load analysis, 199-208
- Bentur, A.**, 'Properties of polymer latex-cement composites', 57-65
- Bentur, A.** and Mindess, 'Technical notes: the fracture of wood fibre reinforced cement', 245-9
- Berntsson, L.**, Chandra and Aavik, 'Influence of polymer microparticles on freeze-thaw resistance of structural lightweight aggregate concrete', 111-15
- binder
- working life and compressive strength, 242, 244
- bond and bonding, 253c, 257r
- bar passing through beam-column joint, 3-17
- fibre-matrix strength and impact resistance, 214, 219, 220
- book reviews, 125-6r, 187-9r, 257r
- Carpinteri, A.**, 'Sensitivity and stability of progressive cracking in plain and reinforced cement composites', 47-56
- cement content in polystyrene bead concrete, 157, 158-60
- cement composites
- jute fr, 75-81, 82
- polymer (saran) latex, 57-64
- sensitivity and stability of progressive cracking, 47-55
- slow crack growth and instability, 33-7
- wood fr, 245-8
- cement substitutes
- blastfurnace slag, 73e
- fly ash, 73e
- kiln dust, 95-101, 102
- Chandra, S.**, Aavik and Berntsson, 'Influence of polymer microparticles on freeze-thaw resistance of structural lightweight aggregate concrete', 111-15
- compressive strength
- and curing conditions, 241-4
- and impact strength of fr concrete, 213, 214, 215
- and presustained loading, 252
- cement/kiln dust concrete, 98-100

- laterized concrete, 237, 238, 239
- non-destructive testing methods, 175-7
- polyester resin concrete, 241-4
- polymer modified concretes, 58-64, 229-32
- polystyrene bead concrete, 157-60
- polystyrene concrete sandwich beams, 201-2
- size effects, 229-32
- conferences and symposia
- bond in concrete, 253c
- cement composites, 1e
- concrete at early ages, 185c
- concrete structures under impact and impulsive loading, 254c
- ferrocement, 1e, 254-5c
- fr concrete, 259-60c
- forthcoming, 67-9, 127-9, 191-3, 259-61
- modernisation of concrete construction, 123c
- polymers in concrete, 1e, 185-6c
- Cotterell, B.** and Mai, 'Slow crack growth and fracture instability of cement composites', 33-7
- cracking
- concrete beams reinforced with glued steel plates, 22-6, 31
- deformed concrete bars, 7-8, 10
- fibre reinforcement and propagation, 83-93
- fracture instability of cement composites, 33-7
- fracture mode of wood fr cement, 246-8
- fracture sensitivity and stability in cement composites, 47-55
- mechanical model, 48-9
- mortar joints, 142-3
- non-destructive tests, 173-9
- propagation in fr concrete, 83-93
- pure torsion, 40, 42
- reversed cyclic loading, 7-8, 10
- shear failure, 142-3, 149, 150, 151
- slow growth, 33-7
- steel fr concrete beams, 40, 42, 120, 149, 150, 151
- V-Ki curves (crack velocity vs stress intensity), 87, 88-91, 92
- creep, 187r
- presustained loading, 251-2
- curing conditions
- and compressive strength, 230-2

- polyester resin concrete, 241-4
polymer latex-cement composites, 60-4
cyclic loading, reversed 3-17
- defoamer in polymer modified concrete, 58-61
deformation characteristics (see also stress:strain characteristics)
asbestos fr cement, 182-4
- Demura, K.** and Ohama, 'Relation between curing conditions and compressive strength of polyester resin concrete', 241-4
- density
fr concrete, 87-90, 91, 92
laterized concrete, 237, 239
saturated, of polystyrene bead concrete, 157, 158, 159
- Dowers, R. C.,** Barr and Liu, 'A toughness index to measure the energy absorption of fibre reinforced concrete', 221-7
- dry curing
polyester resin concrete, 242, 243, 244
polymer modified concrete, 230-2
drying shrinkage, 229-32
durability of lightweight aggregate concrete, 111-15
- earthquakes, 3-4
elastic modulus, see modulus of elasticity
elastic theory of torsion, 42-5
energy absorption by fr concrete, 221-7
epoxy resins, 19-31
ethylene-vinyl acetate, 229-32
- failure
concrete beams reinforced with glued steel plates, 22-31
lightweight concrete under impact, 211-12, 214, 216-20
mortar joints, 142-3
sandwich beams and slabs, 202, 206-8
steel fr deep concrete beams, 149, 150, 151
steel fr concrete beams in pure torsion, 40-5
- Fattuhi, N. I.** and Hughes, 'Effect of beam dimensions and concrete filling sequence on the flexural strength of steel fibre reinforced concrete beams', 117-22
- ferrocement, 1e, 254-5c
fibre aspect ratio
steel fr concrete beams, 39-45
steel fr lightweight concrete, 104, 107-9
fibre cement composites
asbestos, 33-7, 181-4
impact strength, 137e
jute, 75-82
wood, 245-8
fibre geometry
impact resistance of lightweight concrete, 213-15, 219, 220
jute fr composites, 78-81, 82
fibre orientation, 181-4
fibre reinforced (fr) concrete, 259-60c (see also individual fibres)
crack propagation, 83-93
fibre volume fraction
and crack propagation, 84, 87, 88-90, 91, 92
jute fr composites, 78, 81, 82
steel fr concrete beams, 39-45
fibreglass, see glass fr cement, glass fr concrete
flexural strength
and prestained loading, 252
anisotropy in asbestos fr cement, 182-4
concrete beams reinforced with glued steel plates, 19-31
effect of size and concrete filling sequence in steel fr concrete beams, 117-22
jute fr cement composites, 78-9, 81, 82
kiln dust concrete, 101
shear failure of deep beams, 145-52
wood fr cement, 245-7
floors
joint strength in prestressed hollow core slabs, 139-43
fly ash (pulverised fuel ash, PFA)
chemical composition, 97
Lytag, 210, 211, 214-19
use in concrete, 73e, 185-6c
workability of steel fr lightweight concrete, 103-9
fracture, see cracking
fracture collapse, 47-51
fracture mechanics
GRC materials, 164-5
joints in composite precast concrete slabs, 142-3
linear elastic (LEFM), 221-2, 245-8
fracture toughness
cement composites, 47, 50, 51
GRC materials, 165-71
wood fr cement, 245-8
freeze-thaw durability of lightweight concrete, 111-15
geometric effects
fibre orientation in asbestos fr cement, 181-4
GRC fracture, 164, 165-6, 169-71
joint length and failure shear stress, 139-43
shear failure of beams, 146, 147, 149-51
slow crack growth and instability of cement composites, 35-7
workability of steel fr lightweight concrete, 104, 107-9
glass fr cement, 163-71
glass fr concrete
crack propagation, 84
toughness index, 222, 225-6, 227
glued steel plates reinforcement, 19-31
heat curing
polyester resin concrete, 242, 244
polymer modified concretes, 60-4
Ho, N. L. and Roberts, 'Shear failure of deep fibre reinforced concrete beams', 145-52
Hughes, B. P. and Fattuhi, 'Effect of beam dimensions and concrete filling sequence on the flexural strength of steel fibre reinforced concrete beams', 117-22
impact strength
fibre cement composites, 137e
plain and steel fr lightweight concrete, 209-20
reinforced concrete structures, 254c
testing methods, 137e
impulsive loading, 254c
India, 123c
inverted slump cone test, 103-5, 109 results, 105-8
Jojagha, A. H. and Swamy, 'Impact resistance of steel fibre reinforced lightweight concrete', 209-20
Jojagha, A. H. and Swamy, 'Workability of steel fibre reinforced lightweight aggregate concrete', 103-9
Jones, R., Swamy and Ang, 'Under- and over-reinforced concrete beams with glued steel plates', 19-32
jute fr cement composites, 75-81, 82
Kan, S. and Ohama, 'Effects of specimen size on strength and drying shrinkage of polymer modified concrete', 229-33
kiln dust, 95-101, 102
laterized concrete, 235-40
lightweight aggregate concrete
impact resistance of plain and steel fr, 209-20
polymer microparticles and freeze-thaw durability, 111-15
polystyrene bead concrete, 153-61
structural, 111-15, 125r
workability of steel fr, 103-9
linear elastic fracture mechanics,

- (see also fracture mechanics) 221–2, 245–8
- Liu, K.** and Barr, 'Fracture of GRC materials', 163–71
- Liu, K.**, Barr and Dowers, 'A toughness index to measure the energy absorption of fibre-reinforced concrete', 221–7
- load : deflection curves, see stress : strain characteristics
- load relaxation curves, 87
- presustained, 251–2
- reversed cyclic, 3–17
- Lytag (PFA) aggregate, 210, 211, 214–19
- Mai, Y. W.** and Cotterell, 'Slow crack growth and fracture instability of cement composites', 33–7
- Mansur, M. A.** and Aziz, 'A study of jute fibre reinforced cement composites', 75–82
- Mansur, M. A.** and Paramasivam, 'Steel fibre reinforced concrete beams in pure torsion', 39–45
- masonry wall
- fracture stability, 54, 55
- mechanics of structured media, 187–9r
- microcracking, non-linear, 48, 50
- Mindess, S.**, 'Acoustic emission and ultrasonic pulse velocity of concrete', 173–9
- Mindess, S.** and Bentur, 'Technical notes: the fracture of wood fibre reinforced cement', 245–9
- Mindess, S.** and Yam, 'The effects of fibre reinforcement on crack propagation in concrete', 83–93
- Mindess, S.**, Spencer and Panda, 'Bond of deformed bars in plain and fibre reinforced concrete under reversed cyclic loading', 3–17
- modernisation of concrete construction, 123c
- modulus of elasticity
- jute fr cement composites, 80, 81, 82
- laterized concrete, 237, 240
- polystyrene bead concrete, 158–60
- sandwich beams, 201–2
- modulus of rupture
- jute fr cement composites, 81, 82
- polymer modified concretes, 58–64
- steel fr concrete beams, 120–2
- mortar joints and bond shear strength, 139–43
- mould filling sequences, 117–22
- notch tests, 223–5, 227
- fracture sensitivity, 47–51, 55
- wood fr cement, 246–8
- Ohama, Y.** and Demura, 'Relation between curing conditions and compressive strength of polyester resin concrete', 241–4
- Ohama, Y.** and Kan, 'Effects of specimen size on strength and drying shrinkage of polymer modified concrete', 229–33
- orientation, fibre, 181–4
- Panda, A. K.**, Spencer and Mindess, 'Bond of deformed bars in plain and fibre reinforced concrete under reversed cyclic loading', 3–17
- Paramasivam, P.** and Mansur, 'Steel fibre reinforced concrete beams in pure torsion', 39–45
- Parton, G. M.** and Shendy-El-Barbary, 'Polystyrene-bead concrete properties and mix design', 153–61
- Parton, G. M.** and Shendy-El-Barbary, 'Polystyrene concrete sandwich beams: stiffness and ultimate load analysis', 199–208
- plain concrete
- beams in pure torsion, 39–45
- bond of deformed bars under reversed cyclic loading, 3–17
- filling sequence, size and strength of beams, 117–22
- impact resistance, 209–20
- plastic theory of torsion, 42–5
- polyester resin concrete, 197–8e
- curing conditions and compressive strength, 241–4
- polymer fr concrete, see polymer modified concrete
- polymer latex-cement composites, 57–64, 229–32
- polymer microparticles
- and freeze-thaw durability of lightweight aggregate concrete, 111–15
- polymer modified cement, 57–65, 229
- polymer modified concrete, 1e, 197–8e
- compressive strength, 58–64, 229–32
- dry curing, 230–2
- polypropylene fr concrete, 221–5, 227
- Saran latex cement composite, 57–64
- toughness index, 221–5, 227
- polystyrene concrete
- properties and mix design, 153–61
- sandwich beams and slabs, 199–208
- Portland cement, 97
- pozzolans, see fly ash
- presustained loading, 251–2
- pulverised fuel ash (PFA), see fly ash
- quality control of concrete structures, 125r
- Ravindrarajah, R. S.**, 'Technical notes: Additional data on the phenomenon of the effect of presustained loading', 251–2
- Ravindrarajah, R. S.**, 'Usage of cement kiln dust in concrete', 95–102
- reinforced concrete
- bond, 253c, 257r
- impact and impulsive loading, 254c
- reinforcement
- beams with glued steel plates, 19–31
- sandwich beams, 199–208
- Reinhardt, H. W.**, 'Length influence on bond shear strength of joints in composite precast concrete slabs', 139–43
- repair and restoration, 125–6r
- residual strength, 87, 89–92
- resin concrete, see polymer modified concrete
- Roberts, T. M.** and Ho, 'Shear failure of deep fibre reinforced concrete beams', 145–52
- sand content in laterized concrete, 235–40
- sandwich beams, 153, 161, 199–208
- Saran latex cement composite, 57–64
- sawdust filler, 153–61
- seismic codes, 3–4
- setting time of cement paste, 97–8
- shear strength
- deep fr concrete beams, 145–52
- joints in prestressed hollow core slabs, 139–43
- Shendy-El-Barbary, M. E.** and Parton, 'Polystyrene-bead concrete properties and mix design', 153–61
- Shendy-El-Barbary, M. E.** and Parton, 'Polystyrene concrete sandwich beams: stiffness and ultimate load analysis', 199–208
- shrinkage
- drying, 229–32
- fundamental research 187r
- size effects
- drying shrinkage of polymer modified concrete, 229–32
- flexural strength of steel fr concrete beams, 117–22
- slow crack growth and instability of cement composites, 35–7
- strength of cement composites, 47–51
- strength of polymer modified concrete, 229–32
- skew-bending theory of torsion, 42–5
- slabs
- bond shear strength of joints, 139–43
- sandwich, 200, 206, 208
- slag
- blastfurnace, 73e

- chemical composition, 97
 soundness of kiln dust and cement, 98
Spencer, R. A., Panda and Mindess, 'Bond of deformed bars in plain and fibre reinforced concrete under reversed cyclic loading, 3-17
 steel fr concrete
 beams in pure torsion, 39-45
 bond of deformed bars under reversed cyclic loading, 3-17
 concrete filling sequence of beams, 117-22
 crack propagation, 84
 flexural strength of beams, 117-22
 shear failure of deep beams, 145-52
 size and strength of beams, 117-22
 structural applications, 256c
 toughness index, 222, 225, 226, 227
 steel fr lightweight aggregate concrete
 impact resistance, 209-20
 workability, 103-9
 steel mesh reinforcement, 199-208
 steel plate reinforcement, 19-31
 stiffness of sandwich beams, 202-8
 strain distribution in bar under reversed cyclic loading, 8-9, 10, 11
 strength, see compressive strength, flexural strength, impact strength, residual strength, shear strength, tensile strength, torsional strength, ultimate strength
 stress:strain characteristics
 concrete beams reinforced with glued steel plates, 27-31
 jute fibres, 77
 jute fr cement composites, 78-80
 laterized concrete, 237, 240
 load:deflection curves and fracture toughness, 165-9, 221-3, 226
 steel fr concrete beams, 119-20, 122
 steel reinforcing bars, 147, 148
 structural lightweight concrete
 freeze-thaw durability, 111-15
 standard for mix proportions, 125r
 structure related to mechanical behaviour, 187-9r
 styrene-butadiene latex composites, 57-60, 61-4
 compressive strength, 229-32
 drying shrinkage, 229-32
Swamy, R. N., 1e, 73e, 137e, 197e
Swamy, R. N. and Jojagha, 'Impact resistance of steel fibre reinforced lightweight concrete', 209-20
Swamy, R. N. and Jojagha, 'Workability of steel fibre reinforced lightweight aggregate concrete', 103-9
Swamy, R. N., Jones and Ang, 'Under- and over-reinforced concrete beams with glued steel plates', 19-32
 tensile strength
 anisotropy in asbestos fr cement, 181, 182
 jute fr cement composites, 78, 81, 82
 kiln dust concrete, 101
 laterized concrete, 237, 238
 polymer modified concretes, 58-64
 polystyrene concrete sandwich beams, 201, 202, 206-8
 testing methods
 acoustic emission, 173-9
 analysis of three point bending test, 51, 52
 bond shear strength of joints in composite precast concrete slabs, 140-1
 comparison of workability tests, 103-9
 compressive strength, 230
 compressive strength and elastic modulus in sandwich beams, 201-2
 compressive strength of jute fr composites, 76
 double torsion, 84-7
 drying shrinkage, 230-1
 flexural stiffness of sandwich beams, 202-4
 flexural strength of jute fr composites, 76, 77
 fracture toughness of wood fr cement, 246-8
 freeze-thaw durability, 111-13
 GRC materials, 164-5
 impact strength, 137e, 209-20
 impact strength of jute fr composites, 76, 78
 inverted slump cone, 103-5
 composites, 75-8
 laterized concrete, 236
 non-destructive, 173-9
 notch tests, 223-5, 227, 246-8
 polyester resin concrete, 241-2
 presustained loading, 252
 pure torsion of steel fr concrete beams, 40
 reversed cyclic loading in plain and fr concrete, 4-7
 shear failure of steel fr deep concrete beams, 147
 slump of laterized concrete, 236-7
 strength of concrete beams reinforced with glued steel plates, 20-2
 tensile strength and elasticity modulus in sandwich beams, 202
 tensile strength of jute fr composites, 76, 77
 toughness index, 165, 169, 171, 221-5
 ultrasonic pulse velocity, 173-9
 workability, 103-9
 torsion theories, 42-5
 torsional strength
 steel fr concrete beams, 39-45
 toughness
 cement composites, 47, 50, 51
 crack propagation in fr concrete, 83-93
 fr concrete, 221-7
 GRC materials, 165-71
 jute fr cement composites, 78-9, 81
 wood fr cement, 245-8
 ultimate strength
 collapse, compared with fracture collapse, 47-51
 polystyrene concrete sandwich beams, 206-8
 ultrasonic pulse velocity, 173-9
 void/cement ratio in polymer modified concrete, 58-64
 volume fraction, see fibre volume fraction
 waste utilisation in cement substitutes, 73e, 95-101, 102
 water content
 polymer modified concretes, 58-64
 polystyrene bead concrete, 155-6, 158, 160
 water curing of polyester resin concrete, 242, 243, 244
 wood fr cement
 fracture, 245-8
 sawdust filler, 153-61
 workability
 jute fr cement composites, 78
 steel fr lightweight concrete, 103-9
Yam, A. S. and Mindess, The effects of fibre reinforcement on crack propagation in concrete', 83-93
Zevin, I. M. and Zevin, 'Asbestos cement: orientation of fibres and anisotropy of mechanical properties', 181-4
Zevin, L. S. and Zevin, 'Asbestos cement: orientation of fibres and anisotropy of mechanical properties', 181-4

